Green Valliey Industries Limited

CIN NO.: U26942ML2007PLC008273

To

Date-16th Jan, 2017

Additional Principal Chief Conservator of Forests (C),

Ministry of Environment, Forest and Climate Change, Regional Office (NEZ); Law-U-Sib, Lumbatngen, Near MTC Workshop, Shillong, Meghalaya.

Sub: Status of Compliance of Environment Stipulations –Regarding

Sir,

With reference to above, enclosed, please find herewith the status of compliance of Environment stipulations as set by SEIAA for the period 01.06.2016 to 30.11.2016, for your kind information and record please.

Thanking you,

Yours Sincerely

For Green Valliey Industries Ltd.

Authorized Signatory Pawan Joshi (GM-Commercial)



Enclosed.

- 1- Status of Compliance Report 01.06.2016 to 30.11.2016.
- 2- Ambient Air Monitoring Report.
- 3- Stack Monitoring Report.
- 4- Noise Level Monitoring Report.

CC: 1- To Member Secretary, MSPCB, Shillong.

2- Zonal Office Center Pollution Control Board Shillong.





Guwahati Office: 4th Floor, LB Plaza, G. S. Road, Bhangagarh, Guwahati - 781 005, T +91 361 2465481 / 82 / 83 / 84 Regd. Office and Plant: Vill. Nongsning, P.O. Chiehruphi, PS. Khliehriat, Dist. Jaintia Hills, Meghalaya - 793 200 Group Corporate Office: 602 'LORDS' 7/1 Lord Sinha Road, Kolkata - 700 071, T +91 33 22827367 / 7368, F +91 33 22828307 E: info@greenvalliey.com

Status of compliance of Environment stipulations as set by SEIAA for M/S GREEN VALLIEY INDUSTRIES LTD. for the period

01.06.2016 to 30.11.2016.

Introduction:-M/S Green Valliey Industries Ltd. was given environmental clearance for construction of an integrated cement plant of 1300 TPD expandable to 2600 TPD along with 2x10 MW captive power plant at village Nongsning, Chiehruphi, Jaintia Hills, Meghalaya on 28th March, 2009.

STATUS OF COMPLIANCE OF ENVIRONMENT STIPULATIONS:

Sl. No.	Conditions	Status
i	Dust extraction and suppression system along with	Water Tanker is been used on
	water sprinklers shall be provided for controlling	regular basis for water
	fugitive dust during transportation, in coal storage area	sprinkling, from main road to
	and other vulnerable area of the plant.	plant area.
ii	Water requirement shall be met from the existing water	Water Consumption is below
	source which would be restricted to 1220 m ³ /day. No	our requirement and No
	ground water shall be extracted for the DG set at any	ground water is being
	stage	extracted. The consumption
		report is being submitted to
		MSPCB monthly.
iii	Closed cycle cooling system with induced draft cooling towers shall be provided for the DG set.	Have been provided.
iv	The treated effluents shall be re-circulated and reused	All water used for plant
	within the plant area. There shall be no waste water	operation are re-circulated and
	discharge outside the plant boundary.	reused, through water cooling
		tower.
V	Rainwater harvesting shall be practiced. A detailed	We have approached Central
	scheme for rain water harvesting to recharge the ground	Ground Water Authority vide
	water aquifer shall be prepared in consultation with	our letter dated-
	Central Ground water Authority/State Ground Water	GVIL/ENV/2009/359.
	Board and a copy of the same shall be submitted within	GVIL/ENV/2005/12 and
	six months to the monitoring agency.	GVIL/ENV/2016-
		17/004.Once we receive the
		plan, the same will be
:	I are of mains level in the DO and are size 1 11 1	implemented
vi	Leq of noise level in the DG set premises shall be	DG set is not working from
	limited to 75dBA and regular maintenance of	February, 2011 Personal
	equipment should be undertaken. For personnel	protection devices is being
	working in high noise areas, personal protection devices	used by all the workers
	should be provided. Acoustic hoods shall be provided in	working in high noise area.
	respect of all equipments that have potential to	

	acetribute to noise pollution	
vii	contribute to noise pollution. A stack of appropriate height shall be provided with continuous on-line monitoring system in respect of DG set considering the dispersion sensitivity and geographical location of the plant. The data collected shall be analysed and submitted regularly to the	A stack of 48m height has been provided.
viii	Meghalaya State Pollution control Board and SEIAA. The stack emission from various sources shall not exceed 50mg/Nm ³	This has been carried out strictly
ix	Bag house/filters shall be provided to control the fugitive emissions during loading and unloading of raw materials/intermediate and finished products	Have been done.
Х	The project proponent shall store all the raw materials except limestone in covered sheds to control fugitive emissions. The coal storage facility should have water sprinkling facility in order to arrest fire hazard, if any.	Raw materials are kept in covered shed. Proper care is being taken in order to avoid any fire hazard.
xi	The locations of ambient air quality monitoring stations shall be set up as per statutory requirement in consultation with the Meghalaya State Pollution Control Board (MSPCB) and additional stations shall be installed, in the downwind direction as well as where maximum ground level concentrations are anticipated.	After consultation and confirmation from CPCB representative, We are about to install ambient air quality monitoring stations with in a month.
xii	Total water requirement shall not exceed 1220 m ³ /day. The project authorities shall install sewage treatment plant of minimum 80 m ³ /day capacity to treat domestic	Daily water consumption is below the prescribed level. STP will be provided once the
	sewage and treated sewage shall be utilized for green belt development. No waste water shall be discharged outside the premises and zero discharge shall be ensured. Surface water restricted to a maximum of 1220 m³/day shall be drawn from perennial stream of Umtiling flowing nearby and no surface runoff from the factory premises shall either reach/contaminate Umlunar or any other stream flowing at a site situated to the west of the industrial location.	
xiii	The project proponent shall make all out effort to use high calorific value hazardous waste in the kiln towards which necessary provision shall be made.	Calorific value hazardous waste is not available around the plant area.
xiv	The project proponent have not proposed procurement/development of any captive mine in respect of limestone requirement which is estimable to be high. The project proponent shall take expedient steps to procure limestone's mining leases covering	mining land one in Chiehruphi area and another in Lumshnong area. File has been forwarded to the
`	such mining area that would be necessary to sustain the limestone requirement of the cement plant. The entire process shall be completed by the time the industry	approval.

2 ...

	becomes operational and the project proponent shall source its limestone's requirement to run its industry only from such mining leases. The project proponent shall compulsorily take all such steps as are necessary to discourage procurement of limestone that would tend to promote unscientific mining and consequential environmental degradation.	
XV	The project proponent shall transport raw materials and industrial products through covered means.	Being carried out.
xvi	The project proponent shall secure a certificate from the Principal Conservator of Forests, Meghalaya that the core project area is a non-forest land within 3 months of issue of prior Environmental clearance.	Certificate from PCCF, Meghalaya under process with state government.
xvii	Thirty three percent of the core project area (17ha) shall be developed as green belt as per the guidelines of central pollution control board to mitigate the effects of fugitive emission. The program ought to be completed within 5 years from the date of issue of prior Environmental Clearance adhering to time and cost schedule detailed by the project proponent through incurring and expenditure of Rs. 9.5 Lakhs as stated by him.	The company has developed 6.81ha and remaining plantation work is in progress.
xviii	The project proponent shall provide a Health care Center with all emergency medicines and ambulance along with full time doctors. There shall be a casualty	Health Centre already functioning with company appointed Medical Officer with trained lab technician,
	ward that would be operational round the clock duly attended by a suitable doctor. Occupational health surveillance of the workers shall be carried out on a regular basis in terms of their EMP document and records shall be maintained as per the Factories Act.	nurse and helper. Health register is being maintained.
xix	Measures shall be taken to prevent impact of particulate emission/fugitive emission, if any, from the proposed plant on the surrounding private forest areas depicted in their land use study.	Work in progress.
XX	The project proponent shall raise conservation plots (over an area not less than 2ha) complete with green house, mist chamber etc. in respect of plants of conservation value in consultation with Botanical survey of India complete with cost and activity schedule within 6 months from the data of issue of prior	We have approached Botanical Survey of India to guide us in this regards vide our letter dated-GVIL/ENV/2009/109 And GVIL/ENV/2016/14 Once the
	within 6 months from the date of issue of prior Environmental Clearance and initiate implementation immediately thereafter. A copy of the conceptual shall be submitted to the monitoring agency.	same is being received it will be implemented.
xxi	The project proponent shall sponsor research and development for conservation of threatened category of	Will be done.

	species occurring locally such as Nepenthes khasiana and Calamus khasiana to be carried out by an	
	appropriate research or academic institution located in	
	Meghalaya within a year of issue of prior	
	Environmental Clearance. The research project shall be	
	instituted at an expenditure of a minimum of Rs. 5 lakhs	
	per year spread over atleast 3 years.	
xxii	A plan for conservation of wild fauna in consultation	Experts from Centre for
	with a reputed institution such as Wildlife Institute of	biodiversity and natural
	India, Dehradun shall be prepared and implemented.	resources conservation, Assam
	Such conservation plan drawn in respect of wildlife	University had visited the
	would be submitted to the monitoring agency within a	campus.
	maximum of 1 year from the date of issue of prior	
	Environmental Clearance.	
xxiii	A sum of Rs. 2302 lakhs (being 9% of capital cost of	We are spending Rs. 15 Lac
	infrastructure of the project) shall be spent by the	per year towards economic
	project proponent towards environment protection. A	development of the area. The
	further sum of Rs. 15 lakhs per year shall be spent by	details of the same have been
	the project proponent towards economic development of	submitted vide letter No.
Xxiv	the area till the project subsists.	GVIL/ENV/2015-16/010
AXIV	The pollution control units/processes to be installed	Have been done.
V	shall be vetted by experts from a reputed institute such	
XXV	as NEERI, IIT and NIT.	
AAV	The project proponent shall ensure monitoring of	Discussed with the experts
	biodiversity component at the interval of every five	from Centre for Biodiversity
	years by an independent expert agency to assess the	and natural resources
	impact of the project thereupon. The report shall be	conservation, Assam
	submitted to the monitoring agency.	University for their guidance
		and help in this matter.

GENERAL CONDITIONS:

Sl. No	Conditions	Status
i	The project proponent shall abide by the stipulations (as amended from time to time) of the MSPCB/State government or any other statutory body.	GVIL is abiding by the stipulations.
ii	No further expansion or modification in the plant shall be carried out without prior approval of the Ministry of Environment and Forests or their nominated authority as the case may be. In case of deviation or alteration in the project proposal from those submitted to this committee for clearance a fresh reference shall be made to the SEAC through SEIAA to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	GVIL will follow the guidelines.

iii	The gaseous emissions (SO ₂ , NOx) and particulate matter from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no point of time, the emissions shall exceed the prescribed limits. Interlocking system of equipment shall be chosen such that in the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	GVIL is maintaining the standards prescribed by the authorities. Interlocking system of equipments has been provided.
iv	The industry shall undertake the following waste minimization measures: Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. Use of closed pneumatic system for transport of fine material. All venting systems shall be connected with dust or particulate arresting equipments. Dust/particulate matter collected in pollution control equipments shall be reused.	-Pneumatic dust conveyer system to reuse coal dust with hot is under progressClinker conveyor system a)Dust collector installed b)Clinker discharge to stock pile, dust collector installed
V	Fugitive emissions in the work zone environment, product and raw materials storage area shall be regularly monitored. The emissions shall conform to the limits imposed by the SPCB/CPCB.	Being carried out.
vi	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures such as acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986, Environment (Protection) Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time)	Work in progress.
vii	The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 as amended and Hazardous Waste (Management Handling) Rules, 1989 as amended from time to time. Authorization from the MSPCB shall be obtained for collection, treatment, storage and disposal of hazardous wastes.	Authorization from the MSPCB has been obtained for collection, storage and disposal of hazardous wastes.
viii	Rainwater harvesting measures shall be done within the premises. Ground water recharge structures shall be installed around the plant area in consultation with local authorities to maintain the ground water table.	We have approached Central Ground Water Authority vide our letter dated-GVIL/ENV/2009/359.

		GVIL/ENV/2005/12 a GVIL/ENV/2016-17/004.Once we receive the plan, the sar
ix	The company shall undertake eco-developmen measures including community welfare measures in the project area.	t Environment management pl (EMP) has already been frame
X	A separate Environmental management cell equipped with full fledged laboratory facilities as detailed by the project proponent shall be set up to carry out the Environmental Management and monitoring functions	l Separate Environme management cell has bee
кi	All pollution control equipment in STP shall be manned full time by trained personnel.	Will be done shortly.
kii	environmental action plans shall be monitored by the Regional office, Ministry of Environment & Forest duly assisted by the SPCBA six monthly status report shall be submitted to the stated institutions and state Environment impact Assessment Authority/SEAC apart from posting the same on the website of the company.	A six monthly status report i
	The project proponent will make provisions to keep standby spares at the plant site of pollution control units/devices during operation of the cement plant.	We have Reverse Air Bag House in pyro section, which has got
	regular maintenance of all the pollution control Units/devices to ensure its sufficient performance all the time.	additional capacity to arrest dust. Our maintenance team is regularly doing the needful to keep the pollution control equipments in condition & ensure sufficient performance all the time.